

The West Branch Area School District is seeking Bids from an experienced contractor to install a new press box at the district's football field. Interested bidders must submit their bid to Kasi Woodring, board secretary. Opening of bids will take place on Friday, August 16th, 2019 at noon. Bids will be awarded during the Regularly Scheduled Board Meeting on Monday, August 19th, 2019."

The bid document can be found under Business Services section of our website. Direct questions to David Catherman 814-345-5615

West Branch Area School District (ATTN: Kasi Woodring)
516 Allport Cut Off
Morrisdale, Pa. 16858

Specifications to meet or exceed

10' X 40' One Story Elevated Press Box

1. Entrance Doors at each end of the press box
2. Home and visitor's coach's rooms
3. Center room with partitions
4. 18" counter under windows
5. Heating
6. Concrete Foundation
7. Structural Steel framing
8. Entry Platform Decking system
9. Hand Rails/ Guard rails
10. 48" sliding glass window in the front, (tempered safety glass)
11. All electrical components shall be UL listed
12. Lighting to be LED
13. Insulation minimum of R-21 on floor and R-15 on walls
14. Siding 29 gauge Exterior walls 2"X6"
15. Roof 2"X10" Joists
16. Doors 36"X80"
17. Electrical service 120/240
18. Receptacles 20 amp / wiring copper
19. Scorer's table 18" deep X 3/4" full length of the press box.
20. Pa. rated construction to meet all codes
21. All permits, drawings and plans

Option 1 – Camera deck with interior ladder, roof hatch, Dec tec walking service and guardrail system.

This is a turnkey operation. The electric to the building itself is the only item that would not be included.